

**NKPZ2.E42816****Motor Controllers, Float- and Pressure-operated - Component**[Page Bottom](#)**Motor Controllers, Float- and Pressure-operated - Component**[See General Information for Motor Controllers, Float- and Pressure-operated - Component](#)**BARKSDALE INC**

E42816

3211 FRUITLAND AVE
LOS ANGELES, CA 90058 USA**Float operated switches**, Model(s) 0111 (@), 0112 (@), 0113 (@), 0122 (@), 0133 (@)

BLS followed by 270, 300, 500, 700, 750, 800, 810, 1700, 1750, 1775, 1800, 1900, 1950, 73100, 76607 or 77700 Series.

L followed by Series (007, 270, 300, 500, 700, 750, 800, 810, 1700, 1750, 1775, 1800, 1900, 1950, 73100, 76607 or 77700), followed by 0-999 or Q1-Q999.

Series UNS-PA, UNS-PP, UNS1000 or L1, UNS2000, UNS-VA and UNS-MS, followed by additional numbers and/or letters and followed by -UL

Pressure and vacuum operated switches, Model(s) CD(G)**Pressure operated switches, "Series 8000"**, Model(s) 8 followed by one number 0-4 or a letter A-D, F-H, followed by one number 1-6 or a letter A-F, followed by 1 or 2, followed by two letters and one number or one letter (PL1 or T), (PL2 or M), (PL5 or B), might be followed by the letter B, V, N or E, might be followed by the suffixes, HD, (VA or S), W, (LH or L), Q# OR S# or UL**Pressure operated switches**, Model(s) (G)** 7000 series Cat. No 7 followed by 1, 2 or 3 followed by 0 through 7, followed by S**, F, P, or B**, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, or X, followed by (G)** 1 through 8, followed by 1 through 4, followed by B**, V**, N, E or D, followed by 1 through 3000, followed by R or F followed by S0001 through S9999, Q1 through Q999, W01 through W999, or Z1.

0417 (!)

CSM1 or CSM2, followed by -4, -5, -6, -7, -8 or blank, followed by -1, -2, or -3, followed by -1 or -2, followed by -1, -2, -3, -4, -5 or *, followed by -1, -2, -3, -4, or -5, followed by -B, -V or -E, maybe followed by -5 through -5000, maybe followed by -R or -F, followed by -SS or blank, maybe followed by -W1 through -W999, maybe followed by Q1 through Q999.

CSP1 or CSP2, followed by -1, -2, -3 or blank, followed by -1, -2, or -3, followed by -1 or -2, followed by -1, -2, -3, -4, -5 or *, followed by -1, -2, -3, -4, or -5, followed by -B, -V or -E, maybe followed by -3 through -150, maybe followed by -R or -F, followed by -SS or blank, maybe followed by -W1 through -W999, maybe followed by Q1 through Q999.

Pressure-operated switches, Model(s) 96200(D), 96201(D)(E), 96210(D), 96211(D)(E), 96220(D), 96221(D)(E), CDPD(G), CMSPS(F), D1S(C), D2S(C), D2T(C), D3S(C), E1S(B), MSPS(F), T96201(D), T96211(D), T96221(D), VCD(G), VCDPD(G)

(@) - followed by 0001-9999, maybe followed by UNS-MS, UNS-PA, UNS-PP, or UNS-VA

(B) - followed by B, F, GH, H, J, K, M or R, followed by 15, 20, 90, 250, 500, or Vac with or without suffix N, T or V, with or without suffix U, with or without suffix -F2, with or without suffix -BR, -PLS, -P4, S#, Z1, may be followed by Q1-Q999.

(C) - followed by -U, followed by AA, A, B, C, E, F, H, or GH, followed by 2, 3, 18, 80 or 150, may be followed by SS, B1-B10, P1-P10, Q1-Q999, W, S#, Z1 or Z21.

(D) - followed by BB, CC or GH, followed by -1, -2, -3, -4 or -5, may be followed by SS, may be followed by -T1, -T2, -T3 or T6, may be followed by S#, Z1, Z12, Z17, W and P1-P10. Catalog numbers may be followed by additional suffixes.

(E) - may be prefixed with the letter "L"

(F) - followed by DD, EE, FF, JJ, LL, MM, NN or XX, followed by 05, 15 or 100, may be followed by -SS, may be followed by V, N or E, may be followed by P1 through P10, may be followed by PL or may be followed by Q1 through Q999, may be followed by S#, Z1.

(G) - followed by 1S or 2S, followed by A, B, C, F, GH, H, J, K or M, followed by 2, 3, 18, 80 or 150, may be followed by SS, may be followed by F3, P1-P10, B1-B10, Q1-Q999, S#, Z1 or W. May be followed by additional numbers or suffixes.

** - Propane Version

Note - Models may be followed by additional numbers and suffixes.

Marking: Company name and model designation.

[Last Updated on 2013-10-29](#)[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#)

for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".

NKPZ8.E42816

Motor Controllers, Float- and Pressure-operated Certified for Canada - Component

[Page Bottom](#)

Motor Controllers, Float- and Pressure-operated Certified for Canada - Component

[See General Information for Motor Controllers, Float- and Pressure-operated Certified for Canada - Component](#)

BARKSDALE INC

E42816

3211 FRUITLAND AVE
LOS ANGELES, CA 90058 USA

Float operated switches, Model(s) 0111 (@), 0112 (@), 0113 (@), 0122 (@), 0133 (@)

BLS followed by 270, 300, 500, 700, 750, 800, 810, 1700, 1750, 1775, 1800, 1900, 1950, 73100, 76607 or 77700 Series.

L followed by Series (007, 270, 300, 500, 700, 750, 800, 810, 1700, 1750, 1775, 1800, 1900, 1950, 73100, 76607 or 77700), followed by 0-999 or Q1-Q999.

Series UNS-PA, UNS-PP, UNS1000 or L1, UNS2000, UNS-VA and UNS-MS, followed by additional numbers and/or letters and followed by -UL

Pressure and vacuum operated switches, Model(s) CD(G)

Pressure operated switches, "Series 8000", Model(s) 8 followed by one number 0-4 or a letter A-D, F-H, followed by one number 1-6 or a letter A-F, followed by 1 or 2, followed by two letters and one number or one letter (PL1 or T), (PL2 or M), (PL5 or B), might be followed by the letter B, V, N or E, might be followed by the suffixes, HD, (VA or S), W, (LH or L), Q# OR S# or UL

Pressure operated switches, Model(s) (G)** 7000 series Cat. No 7 followed by 1, 2 or 3 followed by 0 through 7, followed by S**, F, P, or B**, followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, or X, followed by (G)** 1 through 8, followed by 1 through 4, followed by B**, V**, N, E or D, followed by 1 through 3000, followed by R or F followed by S0001 through S9999, Q1 through Q999, W01 through W999, or Z1.

0417 (!)

CSM1 or CSM2, followed by -4, -5, -6, -7, -8 or blank, followed by -1, -2, or -3, followed by -1 or -2, followed by -1, -2, -3, -4, -5 or *, followed by -1, -2, -3, -4, or -5, followed by -B, -V or -E, maybe followed by -5 through -5000, maybe followed by -R or -F, followed by -SS or blank, maybe followed by -W1 through -W999, maybe followed by Q1 through Q999.

CSP1 or CSP2, followed by -1, -2, -3 or blank, followed by -1, -2, or -3, followed by -1 or -2, followed by -1, -2, -3, -4, -5 or *, followed by -1, -2, -3, -4, or -5, followed by -B, -V or -E, maybe followed by -3 through -150, maybe followed by -R or -F, followed by -SS or blank, maybe followed by -W1 through -W999, maybe followed by Q1 through Q999.

Pressure-operated switches, Model(s) 96200(D), 96201(D)(E), 96210(D), 96211(D)(E), 96220(D), 96221(D)(E), CDPD(G), CMSPS(F), D1S(C), D2S(C), D2T(C), D3S(C), E1S(B), MSPS(F), T96201(D), T96211(D), T96221(D), VCD(G), VCDPD(G)

(@) - followed by 0001-9999, maybe followed by UNS-MS, UNS-PA, UNS-PP, or UNS-VA

(B) - followed by B, F, GH, H, J, K, M or R, followed by 15, 20, 90, 250, 500, or Vac with or without suffix N, T or V, with or without suffix U, with or without suffix -F2, with or without suffix -BR, -PLS, -P4, S#, Z1, may be followed by Q1-Q999.

(C) - followed by -U, followed by AA, A, B, C, E, F, H, or GH, followed by 2, 3, 18, 80 or 150, may be followed by SS, B1-B10, P1-P10, Q1-Q999, W, S#, Z1 or Z21.

(D) - followed by BB, CC or GH, followed by -1, -2, -3, -4 or -5, may be followed by SS, may be followed by -T1, -T2, -T3 or T6, may be followed by S#, Z1, Z12, Z17, W and P1-P10. Catalog numbers may be followed by additional suffixes.

(E) - may be prefixed with the letter"L"

(F) - followed by DD, EE, FF, JJ, LL, MM, NN or XX, followed by 05, 15 or 100, may be followed by -SS, may be followed by V, N or E, may be followed by P1 through P10, may be followed by PL or may be followed by Q1 through Q999, may be followed by S#, Z1.

(G) - followed by 1S or 2S, followed by A, B, C, F, GH, H, J, K or M, followed by 2, 3, 18, 80 or 150, may be followed by SS, may be followed by F3, P1-P10, B1-B10, Q1-Q999, S#, Z1 or W. May be followed by additional numbers or suffixes.

** - Propane Version

Note - Models may be followed by additional numbers and suffixes.

Marking: Company name, model designation and the Recognized Component Mark for Canada, 

[Last Updated](#) on 2013-10-29

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".